

JD Formulations Collection

JD Phyto-Or Whitening Cream

TRADE NAME	INCI NAME	%	PHASE
Water	Aqua	74.8	A
Lecigel™	Sodium Acrylates Copolymer (and) Lecithin	1	
Polawax™ GP-200	Cetearyl Alcohol (and) PEG-20 Stearate	2	B
Alcoltex 1698	Cetyl Alcohol	2	
Saboderm ISN	Isononyl Isononanoate	4	
JD Jojoba Oil	Simmondsia Chinensis (Jojoba) Seed Oil	4	
D-Panthenol	Panthenol	3	C
Hydrolite® 5 Green	Pentylene Glycol	2.5	
Aquaxyl™	Xylitylglucoside (and) Anhydroxylitol (and) Xylitol	1	
Sharomix™ EG10	Phenoxyethanol (and) Ethylhexylglycerin	1	
Sepimat™ SB	Methyl Methacrylate Crosspolymer	0.5	
JD Phyto - Or 1%™	Simmondsia Chinensis (Jojoba) Seed Oil; Blakeslea Trispora Mycelium Extract/C30-45 Olefin	2	
Dragosine®	Carnosine	0.2	
Superox-C™ AF	Glycerin (and) Water (and) Terminalia Ferdinandiana Fruit Extract	2	
		100	

PROCESS

- 1 Phase A – Combine Phase A ingredients in formula order into main vessel with propeller mixing and begin heating to 60°C to 65°C, mix until fully dispersed and homogenize.
- 2 Phase B – In a separate vessel add Phase B ingredient and heat to 60°C to 65°C. Once fully melted, add Phase B to Phase A with continuous mixing and increase speed if desired. Allow 5 minutes to mix, discontinue heat, and homogenize for until fully homogeneous.
- 3 Allow solution to cool with propeller mixing, once temperature is below 40°C, add Phase C ingredients in formula order to Phase AB with continuous mixing, mix until fully uniform.

The information and data included herein, are provided to the current state of knowledge of Jojoba Desert (A.C.S) Ltd. (hereinafter "JD"), and are intended to provide general information about JD's products. It is the user's responsibility to determine the suitability and completeness of such information for the user's particular use (including performing any necessary confirmatory tests). Due to possible changes in Jojoba Desert's products and applicable national and international regulations and laws, the condition or composition of the said products may change. Users must obtain and follow latest versions of relevant safety data sheets before using or handling any of the JD products.

JD makes no warranties, express or implied, it does not guarantee the accuracy of the information provided above, nor does it undertake any responsibility in connection with any use of the information contained herein. JD will not be responsible or liable for any loss or damage that may occur from the use of this information. Nothing contained herein shall be construed as providing any permission, recommendation, or inducement to practice any patented invention without permission of the patent owner.

For further information, please contact JD at contacts@jojobadesert.com

